Author Index

Alvi, S.N., see Husain, S. 662(1994)71
Amijee, M. and Wells, R.J.
Methylation reagents for the direct on-column derivatisation of veterinary residues 662(1994)123
Andersson, R., see Liang, Y.-z. 662(1994)113
Araki, T., see Hosoya, K. 662(1994)37
Arnold, F.H., see Todd, R.J. 662(1994)13
Atassi, G., see Soentjens-Werts, V. 662(1994)255
Bächmann, K., Ehmann, Th. and Haumann, I.
pH-Independent determination of aluminium as a cationic complex using capillary electrophoresis 662(1994)434
Bailey, R.G., Nursten, H.E. and McDowell, I.
Isolation and high-performance liquid chromatographic analysis of thearubigin fractions from black tea 662(1994)101
Barbaro, A.M., see Biagi, G.L. 662(1994)341
Beckers, J.L.
System peaks and disturbances to the baseline UV signal in capillary zone electrophoresis 662(1994)152
Biagi, G.L., Barbaro, A.M., Sapone, A. and Recanatini, M.
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. I. Basic aspects and relationship between slope and intercept of TLC equations 662(1994)341
Bismuto, E. and Irace, G.
High-performance liquid chromatographic purification of sodium bis(2-ethyl-1-hexyl)sulphosuccinate from commercial preparations containing near-UV absorbing and fluorescent impurities 662(1994)263
Biswas, S.S., see Wakharkar, R.D. 662(1994)420
Black, R.M., Clarke, R.J., Read, R.W. and Reid, M.T.J.
Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to the analysis of chemical warfare samples, found to contain residues of the nerve agent sarin, sulphur mustard and their degradation products 662(1994)301
Bontempelli, G., see Toniolo, R. 662(1994)185
Borate, H.B., see Wakharkar, R.D. 662(1994)420
Bossi, R., see Tilio, R. 662(1994)191
Bøwadt, S., Johansson, B., Pelusio, F., Larsen, B.R. and Rovida, C.
Solid-phase trapping of polychlorinated biphenyls in supercritical fluid extraction 662(1994)424
Boyd, T.J.
Indentification and quantification of mono-, di- and trihydroxybenzenes (phenols) at trace concentrations in seawater by aqueous acetylation and gas chromatographic–mass spectrometric analysis 662(1994)281
Bunrin, T., see Iwaki, K. 662(1994)87
Campos, A., see García, R. 662(1994)61
Carey, J.M., Vela, N.P. and Caruso, J.A.
Chromium determination by supercritical fluid chromatography with inductively coupled plasma mass spectrometric and flame ionization detection 662(1994)329
Carreira, L.A., see Hilal, S.H. 662(1994)269
Caruso, J.A., see Carey, J.M. 662(1994)329
Cases, M.R., Stortz, C.A. and Cerezo, A.S.
Separation and identification of partially ethylated galactoses as their acetylated aldononitriles and alditols by capillary gas chromatography and mass spectrometry 662(1994)293
Cerezo, A.S., see Cases, M.R. 662(1994)293
Chen, Y.-Y., see Zhou, X.-C. 662(1994)203
Clarke, R.J., see Black, R.M. 662(1994)301
Cleroux, C., see Lawrence, J.F. 662(1994)173
Cohen, H.
Chromatography of mycotoxins —Techniques and applications (edited by V. Betina) (Book Review) 662(1994)198
Cormier, J.F. and Plomley, J.B.
Normal-phase high-performance liquid chromatographic resolution of 5′-O-protected deoxynucleoside methylphosphonamidites 662(1994)401
Deyl, Z., see Rohlíček, V. 662(1994)369
Dobarganes, M.C., see Márquez-Ruiz, G. 662(1994)363
Dubois, J.G., see Soentjens-Werts, V. 662(1994)255
Ehmann, Th., see Bächmann, K. 662(1994)434
Emmer, Å. and Roeraade, J.
Capillary electrophoresis, combined with an on-line micro post-column enzyme assay 662(1994)375
Etzel, M.R., see Weinbrenner, W.F. 662(1994)414
Facchetti, S., see Tilio, R. 662(1994)191
Figueruelo, J.E., see García, R. 662(1994)61
Galaev, I.Yu. and Mattiasson, B.
Poly(N-vinylpyrrolidone) shielding of matrices for dye-affinity chromatography. Improved elution of lactate dehydrogenase from Blue Sepharose and secondary alcohol dehydrogenase from Scarlet Sepharose 662(1994)27
García, R., Porcar, I., Campos, A., Soria, V. and Figueruelo, J.E.
Solution properties of polyelectrolytes. X. Influence of ionic strength on the electrostatic secondary effects in aqueous size-exclusion chromatography 662(1994)61
Gelbe, B., see Pfeffer, M. 662(1994)407
Giese, R.W.
Capillary electrophoresis technology (by N.A. Guzman) (Book Review) 662(1994)437
Hämäläinen, M.D., see Liang, Y.-z. 662(1994)113
Hanocq, M., see Soentjens-Werts, V. 662(1994)255
Hansen, P. and Lindeberg, G.
Purification of tryptophan containing synthetic peptides by selective binding of the α-amino group to immobilised metal ions 662(1994)235
Harmon, B.J., see Patterson, D.H. 662(1994)389
Haumann, I., see Bächmann, K. 662(1994)434
Hervé du Penhoat, C.L.M., see Viriot, C. 662(1994)77
Hilal, S.H., Carreira, L.A., Karickhoff, S.W. and Melton, C.M.
Estimation of gas–liquid chromatographic retention times from molecular structure 662(1994)269
Hill, K.D., see Ye, M.Y. 662(1994)323

Hosoya, K., Sawada, E., Kimata, K., Araki, T. and Tanaka, N.
Preparation and chromatographic properties of uniform size cross-linked macroporous poly(vinyl *p-tert.*-butylbenzoate) beads. Evaluation of preferential retention toward organohalides 662(1994)37
Husain, S., Narsimha, R., Alvi, S.N. and Nageswara Rao, R.
Monitoring the products of acetylation, sulphonation and condensation of 2,4-diaminobenzenesulphonic acid by high-performance liquid chromatography 662(1994)71
Irace, G., see Bismuto, E. 662(1994)263
Itoh, H., Kinoshita, T. and Nimura, N.
High-performance liquid chromatographic separation of nucleic acids on a fluorocarbon-bonded silica gel column 662(1994)95
Iwaki, K., Bunrin, T., Kameda, Y. and Yamazaki, M.
Resolution and sensitive detection of carboxylic acid enantiomers using fluorescent chiral derivatization reagents by high-performance liquid chromatography 662(1994)87
Jackson, C.
Computer simulation study of multi-detector size-exclusion chromatography of branched molecular mass distributions 662(1994)1
Jen, S.C.D. and Pinto, N.G.
Modification of the *h*-root method for the determination of multicomponent Langmuir coefficients in liquid chromatography 662(1994)396
Jenkins, T.F. and Walsh, M.E.
Instability of tetryl to Soxhlet extraction 662(1994)178
Johansson, B., see Bøwadt, S. 662(1994)424
Johnson, R.D., see Todd, R.J. 662(1994)13
Kameda, Y., see Iwaki, K. 662(1994)87
Kapila, S., see Tilio, R. 662(1994)191
Karickhoff, S.W., see Hilal, S.H. 662(1994)269
Keplinger, D., see Laus, G. 662(1994)243
Kimata, K., see Hosoya, K. 662(1994)37
Kinoshita, T., see Itoh, H. 662(1994)95
Kvalheim, O.M., see Liang, Y.-z. 662(1994)113
Larsen, B.R., see Bøwadt, S. 662(1994)424
Laus, G. and Keplinger, D.
Separation of stereoisomeric oxindole alkaloids from *Uncaria tomentosa* by high performance liquid chromatography 662(1994)243
Lawrence, J.F., Cleroux, C. and Truelove, J.F.
Comparison of high-performance liquid chromatography with radioimmunoassay for the determination of domoic acid in biological samples 662(1994)173
Liang, Y.-z., Hämäläinen, M.D., Kvalheim, O.M. and Andersson, R.
Assessment of peak origin and purity in one-dimensional chromatography by experimental design and heuristic evolving latent projections 662(1994)113
Lim, P.Y., see Wan, H.B. 662(1994)147
Lindeberg, G., see Hansen, P. 662(1994)235
Lu, X.-R., see Zhou, X.-C. 662(1994)203
Márquez-Ruiz, G., Pérez-Camino, M.C. and Dobarganes, M.C.
Evaluation of susceptibility to oxidation of linoleyl derivatives by thin-layer chromatography with flame ionization detection 662(1994)363
Marshall, T. and Williams, K.M.
Analysis of snake venoms by sodium dodecyl sulfate–polyacrylamide gel electrophoresis and two-dimensional electrophoresis 662(1994)167
Martinez, J.A., see Sosa, M.E. 662(1994)251
Mattiasson, B., see Galaev, I.Yu. 662(1994)27
McDowell, I., see Bailey, R.G. 662(1994)101
Melton, C.M., see Hilal, S.H. 662(1994)269
Mikšík, I., see Rohlíček, V. 662(1994)369
Mok, C.Y., see Wan, H.B. 662(1994)147
Moutounet, M., see Viriot, C. 662(1994)77
Nagaya, S., see Yamazaki, S. 662(1994)219
Nageswara Rao, R., see Husain, S. 662(1994)71
Nam, K.S., see Tilio, R. 662(1994)191
Narsimha, R., see Husain, S. 662(1994)71
Nimura, N., see Itoh, H. 662(1994)95
Nursten, H.E., see Bailey, R.G. 662(1994)101
Ohnishi, K., see Suzuki, T. 662(1994)139
Pagé, M., see Perron, M.J. 662(1994)383
Patterson, D.H., Harmon, B.J. and Regnier, F.E.
Electrophoretically mediated microanalysis of calcium 662(1994)389
Pelusio, F., see Bøwadt, S. 662(1994)424
Pérez-Camino, M.C., see Márquez-Ruiz, G. 662(1994)363
Perron, M.J. and Pagé, M.
Measurement of the enzymatic specificity of carboxypeptidase A by capillary zone electrophoresis 662(1994)383
Pfeffer, M., Gelbe, B., Woicke, B. and Wykhoff, B.
High-performance liquid chromatography of a mixture of two dodecyltins by sensitive fluorescence tagging with morin 662(1994)407
Pietrogrande, A., see Toniolo, R. 662(1994)185
Pinto, N.G., see Jen, S.C.D. 662(1994)396
Plomley, J.B., see Cormier, J.F. 662(1994)401
Ponde, D.E., see Wakharkar, R.D. 662(1994)420
Porcar, I., see García, R. 662(1994)61
Read, R.W., see Black, R.M. 662(1994)301
Recanatini, M., see Biagi, G.L. 662(1994)341
Regnier, F.E., see Patterson, D.H. 662(1994)389
Reid, M.T.J., see Black, R.M. 662(1994)301
Righetti, P.G.
Gel electrophoresis: proteins (by M.J. Dunn) (Book Review) 662(1994)200
Roeraade, J., see Emmer, Å. 662(1994)375
Rohlíček, V., Deyl, Z. and Mikšík, I.
Determination of the isoelectric point of the capillary wall in capillary electrophoresis. Application to plastic capillaries 662(1994)369
Rolando, C., see Viriot, C. 662(1994)77
Rovida, C., see Bøwadt, S. 662(1994)424
Saito, K., see Yamazaki, S. 662(1994)219
Sapone, A., see Biagi, G.L. 662(1994)341
Sawada, E., see Hosoya, K. 662(1994)37

Scalbert, A., see Viriot, C. 662(1994)77
Soentjens-Werts, V., Dubois, J.G., Atassi, G. and Hanocq, M.
High-performance liquid chromatographic determination of chlordiazepoxide, its metabolites and oxaziridines generated after UV irradiation 662(1994)255
Soria, V., see García, R. 662(1994)61
Sosa, M.E., Valdés, J.R. and Martinez, J.A.
Determination of ajmaline stereoisomers by combined high-performance liquid and thin-layer chromatography 662(1994)251
Stortz, C.A., see Cases, M.R. 662(1994)293
Strydom, D.J.
On-line separation of phenylthiohydantoin derivatives of hydrophilic modified amino acids during sequencing 662(1994)227
Suzuki, T., Yaguchi, K., Ohnishi, K. and Yamagishi, T.
Determination of pesticides in water by capillary gas chromatography with splitless injection of large sample volumes 662(1994)139
Takao, N., see Yamagami, C. 662(1994)49
Tanaka, N., see Hosoya, K. 662(1994)37
Tanimura, T., see Yamazaki, S. 662(1994)219
Tilio, R., Kapila, S., Nam, K.S., Bossi, R. and Facchetti, S.
Reduction/elimination of sulfur interference in organochlorine residue determination by supercritical fluid extraction 662(1994)191
Todd, R.J., Johnson, R.D. and Arnold, F.H.
Multiple-site binding interactions in metal-affinity chromatography. I. Equilibrium binding of engineered histidine-containing cytochromes *c* 662(1994)13
Toniolo, R., Bontempelli, G., Zancato, M. and Pietrogrande, A.
Simultaneous microdetermination of chlorine, bromine and phosphorus in organic compounds by ion chromatography 662(1994)185
Truelove, J.F., see Lawrence, J.F. 662(1994)173
Valdés, J.R., see Sosa, M.E. 662(1994)251
Vela, N.P., see Carey, J.M. 662(1994)329
Viriot, C., Scalbert, A., Hervé du Penhoat, C.L.M., Rolando, C. and Moutounet, M.
Methylation, acetylation and gel permeation of hydrolysable tannins 662(1994)77
Wakharkar, R.D., Biswas, S.S., Borate, H.B. and Ponde, D.E.
Monitoring the conversion of cycloheptanone to methyl 7-oxoheptanoate by gas chromatography 662(1994)420
Walkup, R.G., see Ye, M.Y. 662(1994)323
Walsh, M.E., see Jenkins, T.F. 662(1994)178
Wan, H.B., Wong, M.K., Lim, P.Y. and Mok, C.Y.
Small-scale multi-residue method for the determination of organochlorine and pyrethroid pesticides in vegetables 662(1994)147
Weinbrenner, W.F. and Etzel, M.R.
Competitive adsorption of α-lactalbumin and bovine serum albumin to a sulfopropyl ion-exchange membrane 662(1994)414
Wells, R.J., see Amijee, M. 662(1994)123
Williams, K.M., see Marshall, T. 662(1994)167
Woicke, B., see Pfeffer, M. 662(1994)407
Wong, M.K., see Wan, H.B. 662(1994)147
Wu, C.-Y., see Zhou, X.-C. 662(1994)203
Wykhoff, B., see Pfeffer, M. 662(1994)407
Yaguchi, K., see Suzuki, T. 662(1994)139
Yamagami, C., Yokota, M. and Takao, N.
Hydrophobicity parameters determined by reversed-phase liquid chromatography. VIII. Hydrogen-bond effects of ester and amide groups in heteroaromatic compounds on the relationship between the capacity factor and the octanol–water partition coefficient 662(1994)49
Yamagishi, T., see Suzuki, T. 662(1994)139
Yamazaki, M., see Iwaki, K. 662(1994)87
Yamazaki, S., Nagaya, S., Saito, K. and Tanimura, T.
Enantiomeric separation of underivatized aliphatic β-amino alcohols by ligand-exchange chromatgraphy using barbital as an additive to the mobile phase 662(1994)219
Ye, M.Y., Hill, K.D. and Walkup, R.G.
Separation of T-MAZ ethoxylated sorbitan fatty acid esters by supercritical fluid chromatography 662(1994)323
Yokota, M., see Yamagami, C. 662(1994)49
Zancato, M., see Toniolo, R. 662(1994)185
Zhou, X.-C., Wu, C.-Y., Lu, X.-R. and Chen, Y.-Y.
Application of crown ether compounds as gas chromatographic stationary phases (Review) 662(1994)203